

## **All Breeds with Points of Concerns**

The objective of the Kennel Club is to promote, in every way, the general improvement of dogs. We believe that every dog should have the opportunity to lead a healthy, happy life and our 'Fit For Function: Fit For Life' campaign aims to encourage breeders, judges and all dog lovers to take the necessary steps to ensure that this happens, and to act as a reminder that a dog's health and welfare should be the most important consideration in any decisions made.

Breed Watch serves as an 'early warning system' to identify points of concern for individual breeds. Its primary purpose is to enable anyone involved in the world of dogs, but in particular dog show Judges, to find out about any breed specific conformational issues which may lead to health problems. These conditions are known as a 'point(s) of concern'. All Breeds form part of Breed Watch and fall into one of the following categories.

Category key/legend text:

- 1 – Breeds with no current points of concern reported
- 2 – Breeds with Breed Watch points of concern
- 3 - Breeds where some dogs have visible conditions or exaggerations that can cause pain or discomfort (previously known as High Profile)

The way in which the Kennel Club monitors the health of pedigree dogs has been enhanced through the expansion of the role of Breed Watch (Flow diagram refers). As part of this work, all Judges at Championship Shows have the opportunity to report on any visible conditions or exaggerations that they consider to be detrimental to the health and welfare of dogs.

The Kennel Club considers that Judges, Exhibitors and Breeders all need to support breed health improvements with the aim of creating a happy healthy future for dogs.

The following information provides a summary of the Breed Watch points of concern for Category 2 & Category 3 breeds.

Particular points of concern for individual breeds may include features not specifically highlighted in the breed standard including current issues. In some breeds, features may be listed which, if exaggerated, might potentially affect the breed in the future.

Prior to 2014 the features listed below derived from a combination of health surveys, veterinary advice, a meeting of Kennel Club Group judges, feedback from judges at shows or consultation with individual breed club(s)/councils via the breed health coordinators.

From 2014 the structure of Breed Watch allows for a greater involvement by judges in the reporting on and monitoring of the points of concern.

**Basset Hound**

Category 2

Hound

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present). Handlers should be discouraged from pulling skin forward over head and eyes.

Excessive length of ears

Hair loss or scarring from previous dermatitis

Inadequate ground clearance – overly deep body and/or presence of excessive skin

Incorrect bite

Significantly overweight

Signs of dermatitis in skin folds

**Bedlington Terrier**

Category 2

Terrier

Cracked and corny pads

**Bloodhound**

Category 3

Hound

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Excessive skin on head or body. Handlers should be discouraged from pulling skin forward over head and eyes.

Hair loss or scarring from previous dermatitis

Nervous temperament

Signs of dermatitis in skin folds

Weak hindquarters

**Borzoï**

Category 2

Hound

Misplaced lower canine teeth

Overly narrow lower jaw

**Boston Terrier**

Category 2

Utility

Irregular hind movement

New - 23/01/2020

Lack of tail, screw tail, inverted tail and tight tail

New - 23/01/2020

**Boxer**

Category 2

Working

Pinched nostrils

New - 23/01/2020

**Bull Terrier** Category 2 Terrier

Misplaced lower canine teeth

**Bull Terrier (Miniature)** Category 2 Terrier

Misplaced lower canine teeth

**Bulldog** Category 3 Utility

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Hair loss or scarring from previous dermatitis

Heavy overnose wrinkle (roll)

Inverted tail

Lack of tail

Pinched nostrils

Significantly overweight

Sore eyes due to damage or poor eyelid conformation

Tight tail

Unsound movement

**Bullmastiff** Category 2 Working

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose e.g. they turn in, or out, or both abnormalities are present New - 23/01/2020

**Cavalier King Charles Spaniel** Category 2 Toy

Sore eyes or excessive tearing New - 23/01/2020

Unsound movement New - 23/01/2020

Weak hindquarters New - 23/01/2020

**Cesky Terrier** Category 2 Terrier

Incorrect dentition

**Chihuahua (Long Coat)** Category 2 Toy

Excessively short muzzle	New - 23/01/2020
Incorrect bite	New - 23/01/2020
Misplaced teeth	New - 23/01/2020
Missing teeth	New - 23/01/2020
Protruding tongue as a result of incorrect teeth	New - 23/01/2020
Retained puppy teeth	New - 23/01/2020
Wry jaw	New - 23/01/2020

---

**Chihuahua (Smooth Coat)**

Category 2

Toy

Excessively short muzzle	New - 23/01/2020
Incorrect bite	New - 23/01/2020
Missing teeth	New - 23/01/2020
Protruding tongue as a result of incorrect teeth	New - 23/01/2020
Retained puppy teeth	New - 23/01/2020
Wry jaw	New - 23/01/2020

---

**Chinese Crested**

Category 2

Toy

Clipper rash or burns caused by shaving	
Nervous temperament	New - 23/01/2020

---

**Chow Chow**

Category 2

Utility

dogs showing respiratory distress including difficulty in breathing or laboured breathing	
Excessive coat	
Narrow eyelid opening	
Small, deep set eyes with consequent eyelid abnormalities (e.g. the eyelids are turned in)	
Unstable hocks	

---

**Collie (Rough)**

Category 2

Pastoral

Cow hocks	
Excessively small eyes	
Incorrect dentition	
Overly narrow lower jaw	
Weak hindquarters	

---

**Dachshund (Long Haired)**

Category 2

Hound

Incorrect hindquarter/ unsound movement		New - 23/01/2020
Sore eyes or excessive tearing		New - 23/01/2020
<b>Dachshund (Miniature Long Haired)</b>	Category 2	Hound
Incorrect hindquarter/ unsound movement		New - 23/01/2020
Significantly underweight		New - 23/01/2020
Sore eyes or excessive tearing		New - 23/01/2020
<b>Dachshund (Miniature Smooth Haired)</b>	Category 2	Hound
Incorrect hindquarter/ unsound movement		New - 23/01/2020
Significantly underweight		New - 23/01/2020
Sore eyes or excessive tearing		New - 23/01/2020
<b>Dachshund (Miniature Wire Haired)</b>	Category 2	Hound
Incorrect hindquarter/ unsound movement		New - 23/01/2020
Significantly underweight		New - 23/01/2020
Sore eyes or excessive tearing		New - 23/01/2020
<b>Dachshund (Smooth Haired)</b>	Category 2	Hound
Incorrect hindquarter/ unsound movement		New - 23/01/2020
Sore eyes or excessive tearing		New - 23/01/2020
<b>Dachshund (Wire Haired)</b>	Category 2	Hound
Incorrect hindquarter/ unsound movement		New - 23/01/2020
Sore eyes or excessive tearing		New - 23/01/2020
<b>Dogue de Bordeaux</b>	Category 3	Working
Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).		
Grossly undershot Jaw		
Hair loss or scarring from previous dermatitis		
Nervous temperament		
Significantly overweight		
Significantly underweight		

Signs of dermatitis in skin folds

Unsound movement - specifically resulting from weak hind movement

---

**French Bulldog**

Category 2

Utility

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Exaggerated roach in the top line

Hair loss or scarring from previous dermatitis

Incorrect bite

Lack of tail, screw tail, inverted tail and tight tail

Pinched nostrils

Prominent eyes

Screw tail

Short neck

Signs of dermatitis in skin folds

---

**German Shepherd Dog**

Category 3

Pastoral

Cow hocks

Excessive turn of stifle

Nervous temperament

Sickle hock

Weak hindquarters

---

**German Spitz (Klein)**

Category 2

Utility

Sore eyes or excessive tearing

New - 23/01/2020

---

**German Spitz (Mittel)**

Category 2

Utility

Sore eyes or excessive tearing

New - 23/01/2020

---

**Gordon Setter**

Category 2

Gundog

Excessive hind angulation

Excessively thick woolly coat

Overlong hip to hock

Sickle hock

---

**Great Dane**

Category 2

Working

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose e.g. they turn in, or out, or both abnormalities are present	New - 23/01/2020
Nervous temperament	New - 23/01/2020
Unsound movement	New - 23/01/2020
Weak hindquarters	New - 23/01/2020
<b>Griffon Bruxellois</b>	Category 2 Toy
Irregular hind movement	New - 23/01/2020
<b>Irish Terrier</b>	Category 2 Terrier
Cracked and corny pads	
<b>Irish Wolfhound</b>	Category 2 Hound
Misplaced lower canine teeth	
<b>Keeshond</b>	Category 2 Utility
Excessively long coat	
<b>King Charles Spaniel</b>	Category 2 Toy
Prominent eyes	New - 23/01/2020
Weak hindquarters	New - 23/01/2020
<b>Leonberger</b>	Category 2 Working
Unsound movement	New - 23/01/2020
Weak hindquarters	New - 23/01/2020
Weak pasterns	New - 23/01/2020
<b>Maremma Sheepdog</b>	Category 2 Pastoral
Nervous temperament	New - 23/01/2020
<b>Mastiff</b>	Category 3 Working

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Excessive skin on head or body

Excessive wrinkle

Hair loss or scarring from previous dermatitis

Significantly overweight

Signs of dermatitis in skin folds

Unsound movement

Weak hindquarters

---

**Neapolitan Mastiff**

Category 3

Working

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Excessive dewlap

Excessive skin on head or body

Hair loss or scarring from previous dermatitis

Significantly overweight

Signs of dermatitis in skin folds

Unsound movement - specifically resulting from weak hind movement

---

**Newfoundland**

Category 2

Working

Conformational defects of the upper and lower eyelids (loose eye lids)

Excessive or incorrect coat

New - 23/01/2020

---

**Norwich Terrier**

Category 2

Terrier

dogs showing respiratory distress including difficulty in breathing or laboured breathing

---

**Old English Sheepdog**

Category 2

Pastoral

Cow hocks

Excessively long coat

Excessively profuse coat

Weak hind movement

---

**Pekingese**

Category 3

Toy

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Excessive coat

Excessive nasal folds

Excessively prominent eyes

Heavy overnose wrinkle (roll)

Pinched nostrils

Poor muscle tone

Uncomfortable eyes due to damage or poor eyelid conformation

Weak hindquarters

---

**Pomeranian**

Category 2

Toy

In mature dogs, 18 months and over, the fontanelle should be fully closed

---

**Pug**

Category 3

Toy

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Excessive nasal folds

Excessively prominent eyes

Hair loss or scarring from previous dermatitis

Incomplete blink

Pinched nostrils

Significantly overweight

Signs of dermatitis in skin folds

Sore eyes due to damage or poor eyelid conformation

Unsound movement

---

**Pyrenean Mountain Dog**

Category 2

Pastoral

Significantly overweight

Unstable hocks

Weak hindquarters

---

**Retriever (Golden)**

Category 2

Gundog

Legs too short in proportion to depth of body and to length of back

Significantly overweight

---

**Retriever (Labrador)**

Category 2

Gundog

Legs too short in proportion to depth of body and to length of back

Significantly overweight

---

**Rottweiler**

Category 2

Working

Conformational defects of the upper and lower eyelids

New - 23/01/2020

Excessive hind angulation

New - 23/01/2020

Excessively short muzzle

New - 23/01/2020

Sickle hock

New - 23/01/2020

---

**Shar Pei**

Category 2

Utility

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Hair loss or scarring from previous dermatitis

Lower lip folding over lower incisors (tight lip)

Signs of dermatitis in skin folds

---

**Shetland Sheepdog**

Category 2

Pastoral

Excessively small eyes

Misplaced upper canine teeth

---

**Siberian Husky**

Category 2

Working

Significantly overweight

Significantly underweight

---

**Spaniel (American Cocker)**

Category 2

Gundog

Excessively prominent eyes

Incorrect bite

Small teeth

New - 23/01/2020

---

**Spaniel (Clumber)**

Category 2

Gundog

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Obvious ear irritation

Overweight

Weak hindquarters

---

**St. Bernard**

Category 3

Working

Excessive amounts of loose facial skin with conformational defects of the upper and/or lower eyelids so that the eyelid margins are not in normal contact with the eye when the dog is in its natural pose (e.g. they turn in, or out, or both abnormalities are present).

Incorrect bite

Incorrect dentition

Unsound movement

Weak hindquarters

---

**Staffordshire Bull Terrier**

Category 2

Terrier

dogs showing respiratory distress including difficulty in breathing or laboured breathing

Misplaced lower canine teeth

---

**West Highland White Terrier**

Category 2

Terrier

Misplaced lower canine teeth

Skin irritation

---