

Heights

Regulation H10.c.(11)

**TO:**

~~(11) Definitions of classes. Classes that will include the Lower Height Option must be specified together with whether there will be separate awards for each height.~~

Regulation H(1)9.b

**TO:**

Ensuring that all obstacles and equipment in the test area do not include unnecessary protusions and where wings or side supports are part of an obstacle **the inner upright of the wings must be a minimum of 900mm.**~~they must be appreciably higher than the part to be cleared by the dog.~~

Regulation H(1)9.f.

**TO:**

f. (1) Splitting of classes

~~Where classes do not have the Lower Height Option, classes should be split according to the following:~~

~~Where combined classes are split, they must be split into parts of equal numbers (to within one dog). Splits must be conducted on a random basis.~~

~~Where graded classes are split, they must be split by grade. If a subsequent grade or single grade class is split, it must be split into parts of equal numbers (to within one dog). Splits must be conducted on a random basis.~~

~~Competitors entered therein must be notified of all changes.~~

~~(2) Where classes have the Lower Height Option and are required to be split, classes should be split according to the following:~~

~~(i) Where combined classes with one set of results are split, they must be split into parts of equal numbers (to within one dog). Splits must be conducted on a random basis.~~

~~(ii) Where combined classes with separate awards for Lower Height and Full Height are split, they must be split by Lower Height and Full Height. if a subsequent height class is split, it must be split into parts of equal numbers (to within one dog). Splits must be conducted on a random basis.~~

~~(iii) Where graded classes with one set of results per grade are split, they must be split by grade. if a subsequent grade or single grade class is split, it must be split into parts of equal numbers (to within one dog). Splits must be conducted on a random basis.~~

~~(iv) Where graded classes with separate awards for Lower Height and Full Height are split, they must be split by grade. if a subsequent grade or single grade class is split, it must be split by Lower Height and Full Height. if a subsequent height class is~~

~~split, it must be split into parts of equal numbers (to within one dog). Splits must be conducted on a random basis. Competitors entered therein must be notified of all changes~~

#### Regulation H(1)(A)1

##### TO:

1. This classification should apply to competitions for large, **intermediate**, medium and small dogs.
- ~~4. All rounds of a Championship Agility Class and any Kennel Club heat, semi-final or final must be run at Full Height.~~
- ~~7. Lower Height Option. Societies may offer the Lower Height Option to all dogs in that height category and it may be offered at all grades. It is to be run as part of any Standard class as defined in these regulations and must be clearly identified in the schedule. Each relevant class will have two heights with a change part way through to raise/lower the jump heights and may extend/reduce the length of the long jump and width of the rising spread, within the permitted ranges, and competitors must run at their entered height. The order in which the heights will run must be detailed on the ring cards/ring plan. There will be only one course walking at the start of the class. In a class where the Lower Height Option is available show organisers may offer one set of awards by combining the results of each height or may offer separate awards for each height category.~~
- ~~8. When the Lower Height Option is scheduled a dog may only be entered at either the Full Height or at the Lower Height and it cannot compete at a different height in any other class at that competition, including special classes. For these purposes a competition shall be defined as all classes covered within the same schedule.~~
9. Progression. Progression from each Grade will require one agility win or three Jumping wins in standard classes at that grade, ~~at either Full Height or the Lower Height Option~~, except that progression from Grade 5 will require 3 wins at Grade 5, one of which must be an agility class. Progression from Grade 6 will require 4 wins at Grade 6, two of which must be agility classes. Results from Combined Classes will only count towards progression from the dog's current grade.

#### Regulation H(1)(A)11.h

##### TO:

- h. **Championship Class**  
Open to dogs having qualified to compete in Grade 7 which have had **4 5** wins at Full Height in either Grade 6 or Grade 7, at least **2-3** of which must be gained in Agility classes. To consist of 2 qualifying rounds of Standard Kennel Club Classes, 1 Agility Class and 1 Jumping Class and a final round of Agility to be held at the same Show.

Regulation H(1)(B)1.a.(5)

**TO:**

- (5) Safety – Obstacles and equipment in the test area must not include unnecessary protrusions and where ‘wings’ or side supports are part of an obstacle **the inner upright of the wings must be a minimum of 900mm.** they must be appreciably higher than the part to be cleared by the dog.

Regulation H(1)(B)1.c

**TO:**

- c. No practice is allowed on the course save that competitors will be allowed to walk the course set at Small, Medium, **Intermediate** or Large height without their dog(s) before the class begins. ~~The height of the hurdles may be raised/lowered and the length of the long jump and width of the rising spread may be extended/reduced, within the permitted ranges, during the course walking time if multiple heights are offered within the same class.~~

Regulation H(1)(B)2

**TO:**

2. Height Limit for Dogs
- Large Dogs – For dogs measuring over ~~430mm (1ft 5ins)~~ **500mm** at the withers.
  - Intermediate Dogs – For dogs measuring over 430mm and measuring 500mm or under at the withers.**
  - Medium Dogs – For dogs measuring over 350mm ~~(1ft 1.75ins)~~ and measuring 430mm ~~(1ft 5ins)~~ or under at the withers.
  - Small Dogs – For dogs measuring 350mm ~~(1ft 1.75ins)~~ or under at the withers.

Regulation H(1)(B)3

**TO:**

3. Obstacles – The following obstacles meet with the approval of the Board of the Kennel Club. Any changes to current obstacles (such as materials used, structure or style) or any other new obstacles must be submitted for approval by the Kennel Club before being made available for use at its licensed events.
- Hurdle – The height of the hurdle must be ~~650mm (2ft 1.6ins) (550mm (1ft 9.6ins) for Lower Height Option)~~ **600mm** for Large Dogs, **500mm for Intermediate Dogs**, ~~450mm (1ft 5.7ins) (350mm (1ft 1.75ins) for Lower Height Option)~~ **400mm** for Medium Dogs and ~~350mm (1ft 1.75ins) (250mm (9.8ins) for Lower Height Option)~~ **300mm** for Small Dogs. Width: 1.219m (4ft) minimum. ~~The top bar or plank~~ **All bars, planks and fillers** must be easily displaced by the dog. **The inner upright of the wings must be a minimum of 900mm with no unnecessary protrusions.** ~~A wall should have displaceable units on the top.~~ The height of hurdles in special classes may be lower than those listed above, but the height(s) must be included in the schedule.

- b. Rising Spread Jump—a maximum of 2 single jumps as in item a—(Hurdle) placed together to form a double spread, there must be no more than 2 elements to this obstacle. The top bar on the first hurdle must be **400mm for Large Dogs, 300mm for Intermediate Dogs, 300mm for Medium Dogs and 200mm for Small Dogs**. ~~at least 150mm (5.9ins) to 250mm (9.8ins) lower than the second hurdle.~~ The maximum spread to be: Large Dogs – 550mm (1ft 9.6ins), **Intermediate Dogs – 475mm**, Medium Dogs – 400mm (1ft 3.7ins), Small Dogs – 300mm (1ft 1.8ins). There must be only one pole on the ~~back~~ **each** hurdle. The feet of the side supports (wings) should not be interlocking but touching and must not be out of line by more than ~~76~~ **75mm (3ins)**.
- c. Brush Fence—Dimensions and details as for item a—(Hurdle). This obstacle must have an easily displaceable top unit.
- d. Hoop-(Tyre)—aperture diameter 533mm (1ft 9ins) minimum. Aperture centre from the ground: Large Dogs - 800mm (2ft 7.5ins). **Intermediate Dogs – 650mm** Medium Dogs - 550mm (1ft 9.6ins). Small Dogs - 490mm (1ft 7.3ins). The hoop to be of a consistent shape, constructed of an impact-absorbing material. ~~The height of the hoop should not be lowered.~~ The tyre/hoop must be directly mounted in a substantial frame structure which must be secured in such a way that dogs cannot knock the obstacle over from either direction; the frame shall not have a beam across the top. All tyres must have easily displaced element(s). For saloon style tyres, both opening sides must have an ability to swing open to 90-140 degrees from the closed hoop position. They must not self-return and must be manually re-set.
- e. Table—914mm (3ft) square minimum. Height: Large Dogs - ~~600mm~~ **550mm**, **Intermediate Dogs 450mm** (1ft 11.6ins), Medium Dogs - 400mm **350mm** (1ft 3.75ins), Small Dogs - 300mm **250mm** (1ft 1.8ins). To be of stable construction with a non-slip surface.
- f. Long Jump—each unit a minimum length of 1.219m (4ft). Large Dogs – to comprise 3 to 5 units the overall ~~maximum~~ length to be between 1.2m (3ft 11.2ins) and 1.5m (4ft 11ins). The height of the front unit to be 127mm (5ins) and the height of the rear unit to be 381mm (15ins). **Intermediate Dogs – to comprise 3 to 5 unites the overall length to be between 1m and 1.3m. The height of the front unit to be 127mm and the height of the rear unit to be 381mm.** Medium Dogs - to comprise 3 to 4 units the overall ~~maximum~~ length to be between 700mm (2ft 3.8ins) and 900mm (2ft 11.4ins). The height of the front unit to be 127mm (5ins) and the height of the rear unit to be 305mm (12ins). Small Dogs - to comprise 2 to 3 units the overall ~~maximum~~ length to be between 400mm (1ft 3ins) and 500mm (1ft 7.7ins). The height of the front unit to be 127mm (5ins) and the height of the rear unit to be 229mm (9ins). Marker poles with a minimum height of ~~approximately~~ 1.219m (4ft) shall be used, these should not be attached to any part of the obstacle.
- g. Water Jump—the overall ~~maximum~~ spread should be: Large Dogs – between 1.2m (3ft 11.2ins) and 1.5m (4ft 11ins). **Intermediate Dogs – between 1m and 1,3m.** Medium Dogs - between 700mm (2ft 3.8ins)

- and 900mm (~~2ft 11.4ins~~). Small Dogs - between 400mm (~~1ft 3ins~~) and 500mm (~~1ft 7.7ins~~). A low hurdle or brush, with a maximum height of: Large Dogs - ~~610mm (2ft)~~ **550mm**, **Intermediate Dogs – 450mm**, Medium Dogs - ~~356mm (14ins)~~ **350mm**, Small Dogs - ~~228mm (9ins)~~ **250mm** may be placed in front of the water. Marker poles with a minimum height of ~~approximately~~ 1.22m (~~4ft~~), should be placed at all 4 corners, these should not be attached to any part of the water jump.
- h. Wishing Well—this obstacle will be of stable construction and will be able to be fixed to the ground. To ensure the safety of the dog, it will have no sharp edges. Should a design be utilised which involves a removable centre section then the resultant corners must be rounded or padded. It will have a roof of which the bottom will be no less than Large **and Intermediate** Dogs - 1500mm, Medium Dogs - 1220mm, Small Dogs - 950mm from the ground. The roof must not project beyond the width or depth of the base. It will have a displaceable top bar the height of which will be: Large Dogs - ~~650mm~~ **600mm**, **Intermediate Dogs – 500mm**, Medium Dogs - ~~450mm~~ **400mm**, Small Dogs - ~~350mm~~ **300mm**. The minimum space from the top of the bar to the top of the base will be Large Dogs - 160mm, **Intermediate Dogs – 155mm**, Medium Dogs - 150mm, Small Dogs - 105mm. The overall width of the base will be between 900mm & 1400mm. The depth of the base which the dog jumps will be a maximum of Large Dogs - 550mm, **Intermediate Dogs – 475mm**, Medium Dogs - 400mm, Small Dogs - 300mm.
  - i. Pipe Tunnel — This obstacle should have a diameter of a minimum of 609mm (~~2ft~~) and should be a minimum of 3.048m (~~10ft~~) in length.
  - j. Weaving Poles—the minimum number of poles should be five and the maximum number 12. They should be in a continuous line, as straight as possible and should be 600mm (~~1ft 11.5ins~~) apart (between the poles). The poles must be of rigid construction and with a minimum height of 762mm (~~2ft 6ins~~) and a diameter between 32mm (~~1¼ ins~~) and 38mm (~~1½ ins~~). The base must have support bars at the bottom of each pole and they must be positioned away from the side a dog would normally negotiate each pole.
  - k. Pause Box—Defined area 1.219m x 1.219m (~~4ft x 4ft~~).
  - l. 'A' Ramp—Two ramps 2.74m (~~9ft~~) long by 914mm (~~3ft~~) wide hinged at the apex 1.7m (~~5ft 7ins~~) from the ground. The last 1.067m (~~3ft 6ins~~) from the bottom of each ramp should be a different colour to indicate the area with which the dog should make contact. Each ramp to have a non-slip surface, and anti-slip slats at intervals but not within 152mm (~~6ins~~) of the start of the contact area.
  - m. See-Saw— This obstacle will consist of a plank firmly mounted on a central bracket. The length of the plank must be 3.66m (~~12ft~~). The width should be 254mm (~~10ins~~) minimum and 305mm (~~12ins~~) maximum. The height of the central bracket measured from the ground to the top of the plank should be 610mm (~~2ft~~) minimum and 685mm (~~2ft 3ins~~) maximum. The last 914mm (~~3ft~~) from each end should be a different colour to indicate the area with which the dog should make contact. The plank should have a non-slip surface with no slats. The See-Saw must start to tip and then touch the ground between 2–3

seconds after a weight of 1 kilogram has been placed in the middle of the down contact area.

- n. Dog Walk—a walk plank of approximately 1.372m (~~4ft 6ins~~) measured from the ground to the top of the plank, with firmly fixed ramps at either end. the planks must be 3.66m (~~12ft~~) in length and a minimum of 254mm (~~10ins~~) and a maximum of 305mm (~~12ins~~) in width. The last 914mm (~~3ft~~) from the bottom of each ramp should be a different colour to indicate the area with which the dog should make contact. Each ramp should have a non-slip surface, and anti-slip slats at intervals but not within 152mm (~~6ins~~) of the start of a contact area.

Insert new regulation (renumber subsequent):

Regulation H(1)(B)3.b

**TO:**

- b. **Wall – The height of the wall must be 600mm for Large Dogs, 500mm for Intermediate Dogs, 400mm for Medium Dogs and 300mm for Small Dogs. Width: 1.2m minimum. All central units must be easily displaced by the dog and not interlocking with the pillars. Pillars must be a minimum of 900mm.**

Regulation H(1)(B)4

**TO:**

#### 4. Height Classification of Dogs

- (1) The provisions of sub-paragraphs (2) to (17) below shall not apply to dogs competing only in special classes at Limited agility shows.
- (2) Dogs competing in small, ~~or~~ medium **or intermediate** height categories must be measured for competition. Competitors must ensure that their dog is measured prior to their first competition and that the dog's agility record Book has been signed and dated by the measuring officials.
- (3) Large dogs entered for competition will not require an official Kennel Club measurement. Once a dog has competed in any class in the Large Height category at a Kennel Club Licenced event it may not change to a different height.
- (4) A second measurement must be carried out on the dog between 12 and 24 months after the first. If the second measurement places the dog in the same height category as the first, this will be the final measurement. However, if the second measurement places the dog in a different category then a third measurement must be carried out within two calendar months by two measurers, both of whom must not have measured the dog on a previous occasion. The dog's height category will be that confirmed by two out of the three measurements. The dog should compete in the original height category until the final decision has been made.
- (5) The dog's signed agility record book must be available for inspection by the Show Management and/or the Judge on the date of any competition entered by the owner/handler.
- (6) The Kennel Club will nominate officials authorised to measure dogs for competition and to sign the agility record book. The record book must be notated 'small', 'medium', '**intermediate**' or 'large' as determined by the official measurement.

- (7) Measurement must be carried out on a level and even surface, in a quiet place, separate from other dogs and handlers.
- (8) Measurement of the dog's height will be taken from the ground to the highest point of the withers. The dog must be standing squarely with all four legs on the ground, neither stretched nor crouched. The dog's head should be in a natural position.
- (9) A dog will be eligible to compete in small, ~~or~~ medium **or intermediate** height categories only after the official measurement has been carried out. Where a dog is measured out of the height category in which it has been entered it is permissible, at the discretion of the organising club, for entries to be altered in order that the dog can compete at the correct height category.
- (10) In the event of a dispute over the measuring procedure the Kennel Club will evaluate whether there are grounds for appeal. The owner/handler of the dog may appeal in writing to the Kennel Club, but must do so within seven days of the disputed measure having taken place. Any appeal must be accompanied by a written statement from the owner/handler of the dog with a brief description as to the ground for the appeal and must be accompanied by the appropriate fee.
- (11) An additional measurement may be requested by the Kennel Club or a Kennel Club approved Championship agility Judge. The dog in question must have already had its final official Kennel Club measurement. The Judge need not be officiating on the day the additional measurement is requested but must be in attendance at the Show. No fee will be required from either the Judge or the handler/owner.
- (12) The request for an additional measurement must be recorded in the Show's incident book and lodged in writing at the Kennel Club within 14 days. The Kennel Club will advise the owner/handler of the dog of the requirement for an additional measure.
- (13) All small and medium dogs who are invited on to the team GB Squad will be subject to an additional measurement.
- (14) The additional measurement must be completed within 2 months of the request being received at the Kennel Club and must be undertaken by two measurers appointed by the Kennel Club from the list of Senior Measurers.
- (15) The dog will continue competing at its current height until the additional measurement has been completed and confirmed by the Kennel Club.
- (16) The height recorded at the additional measurement will take immediate effect.
- (17) The additional measurement can only be undertaken once in a dog's lifetime