



Clumber Spaniel

Pedigree Breed Health Survey

Forms were received representing 72 living dogs & 13 deceased dogs.

Mortality results

A total of 13 deaths were reported, representing 0.23% of all deaths reported in the Pedigree Breed Health survey. The range of longevity for the Clumber Spaniel was 5 years to 15 years. Table 1 shows the causes of death for the breed.

Table 1 The most common causes of death/reasons for euthanasia (N = 13 deceased dogs).

Cause of death
Old Age
Unknown
Aggression
Cardiomyopathy
Hepatic liver tumour
Intervertebral disc disease IVDD
Seizure

Morbidity results

The 72 live Clumber Spaniels represented 0.17% of total dogs in the survey. The median age of live dogs for the breed was 4 years (Table 2). Of the 72 Clumber Spaniels which the survey covers, 39 had reported no conditions and 33 reported affected by at least one condition (min = 1 condition(s), max = 5 conditions), giving a total of 76 incidents of conditions.

The gender, neuter status and age of neutering summary statistics for Clumber Spaniels are shown in Table 3. There were 62 dogs with responses for Body Condition displayed in Table 4.

The median age the dogs were first affected by a condition was 3.5 years (min = 0 years, max= 12 years, Figure 3). The ages for the most common conditions is displayed in Figure 4. Table 5 shows the frequency of occurrence of all reported disease conditions for the Clumber Spaniel.

Table 2: The summary statistics for the dogs' current age when survey was completed

Number of Dogs	Mean age (years)	Median age (years)	Min age (years)	Max age (years)
72	4.71	4	0	20

Table 3: Gender, neuter status and age summary statistics for dogs where gender and neuter status was reported

Sex	Neuter status	Age known	Count	Mean age neutered (years)	Median age neutered (years)	Min age neutered (years)	Max age neutered (years)
Female	Neutered	Yes	9	2.33	2	0	6
Female	Not neutered	No	18	NA	NA	NA	NA
Female	Unknown	No	3	NA	NA	NA	NA
Male	Neutered	Yes	12	0.67	0	0	3
Male	Not neutered	No	28	NA	NA	NA	NA
Male	Unknown	No	2	NA	NA	NA	NA

Table 4: The body condition comment and the age of the dog when this comment was made

Body condition	Count	Mean age (years)	Median age (years)	Min age (years)	Max age (years)
No comment was made by vet	3	4.33	4	0	9
Normal	55	3.58	4	0	12
Somewhat overweight	4	6.25	7	1	10




Figure 3: Histogram showing frequency of known age at diagnosis for the disease conditions reported




Figure 4: Box and whisker plot of age at diagnosis in years for the most common disease conditions in descending order. The solid line within each box represents the median age at diagnosis from the condition. The box represents 50% of the dogs and the whiskers represent 95% of the dogs for each condition. The circles (o) represent possible outliers

Table 5: The most commonly reported disease conditions in descending order for the breed (N = 72 live dogs)

Condition	Number of cases of disease	Proportion (%)	Prevalence (%)
Entropion	8	10.53	11.11
Arthritis	5	6.58	6.94
Intervertebral disc disorder	5	6.58	6.94
Hip dysplasia	3	3.95	4.17
Hypersensitivity (allergic) skin disorder	3	3.95	4.17
Keratoconjunctivitis sicca (KCS, Dry Eye)	3	3.95	4.17
Otitis media	3	3.95	4.17
Anal gland/sac impaction/blockage	2	2.63	2.78
Cataract - age related	2	2.63	2.78
Chronic Itching	2	2.63	2.78
Colitis	2	2.63	2.78
Conjunctivitis	2	2.63	2.78
Dermatitis	2	2.63	2.78
Food Allergy	2	2.63	2.78
Lipoma	2	2.63	2.78
Ocular (eye) discharge	2	2.63	2.78
Pyoderma	2	2.63	2.78
Skin lump	2	2.63	2.78
Anal gland/sac infection	1	1.32	1.39
Blindness	1	1.32	1.39

Proportion of morbidity as %= N/76 disease conditions, prevalence %= N/72 live dogs

Summary

From the dogs surveyed, most Clumber Spaniels were not affected by a disease condition (54.17%). The most commonly reported disease condition in live dogs was entropion. The most commonly reported cause of death was old age.