



Portuguese Podengo

Pedigree Breed Health Survey

Forms were received representing 14 living dogs & 0 deceased dogs.

Mortality results

There were no responses for deceased Portuguese Podengos.

Morbidity results

The 14 live Portuguese Podengos represented 0.03% of total dogs in the survey. The median age of live dogs for the breed was 5 years (Table 2). Of the 14 Portuguese Podengo which the survey covers, 11 had reported no conditions and 3 reported affected by at least one condition (min = 1 condition(s), max = 2 conditions), giving a total of 4 incidents of conditions.

The gender, neuter status and age of neutering summary statistics for Portuguese Podengos are shown in Table 3. There were 10 dogs with responses for Body Condition displayed in Table 4.

The median age the dogs were first affected by a condition was 2 years (min = 0 years, max = 8 years). Table 5 shows the reported disease conditions for the Portuguese Podengo.

Table 2: The summary statistics for the dogs' current age when survey was completed

Number of Dogs	Mean age (years)	Median age (years)	Min age (years)	Max age (years)
14	5.64	5	3	10

Table 3: Gender, neuter status and age summary statistics for dogs where gender and neuter status was reported

Sex	Neuter status	Age known	Count	Mean age neutered (years)	Median age neutered (years)	Min age neutered (years)	Max age neutered (years)
Female	Neutered	Yes	5	0.40	0	0	2
Female	Not neutered	No	3	NA	NA	NA	NA
Male	Neutered	Yes	5	1.00	0	0	3
Male	Unknown	No	1	NA	NA	NA	NA

Table 4: The body condition comment and the age of the dog when this comment was made

Body condition	Count	Mean age (years)	Median age (years)	Min age (years)	Max age (years)
No comment was made by vet	2	1.50	1.5	0	3

Normal	8	5.00	5	0	10
--------	---	------	---	---	----

Table 5: The most commonly reported disease conditions in descending order for the breed (N = 14 live dogs)

Condition
Hypersensitivity (allergic) skin disorder
Pneumonia
Unspecified Muscle, Bone or Joint
Unspecified Respiratory

Summary

From the dogs surveyed, most Portuguese Podengos were not affected by a disease condition (78.57%). There were only four disease conditions that represented an equal proportion of affected live dogs. There were no responses for deceased dogs.