



**THE KENNEL CLUB
DOG HEALTH**

Turkish Kangal Dog

Pedigree Breed Health Survey

Forms were received representing 2 living dogs & 0 deceased dogs.

Mortality results

There were no responses for deceased Turkish Kangal Dogs.

Morbidity results

The 2 live Turkish Kangal Dogs represented 0.00% of total dogs in the survey. The median age of live dogs for the breed was 7.5 years (Table 2). Of the 2 Turkish Kangal Dog which the survey covers, 0 had reported no conditions and 2 reported affected by at least one condition(min = 1 condition(s), max = 1 conditions), giving a total of 2 incidents of conditions.

The gender, neuter status and age of neutering summary statistics for Turkish Kangal Dogs are shown in Table 3. There were 2 dogs with responses for Body Condition displayed in Table 4.

The median age the dogs were first affected by a condition was 7 years (min = 6 years, max= 8 years). Table 5 shows the reported disease conditions for the Turkish Kangal Dog.

Table 2: The summary statics for the dogs' current age when survey was completed

Number of Dogs	Mean age (years)	Median age (years)	Min age (years)	Max age (years)
2	7.5	7.5	6	9

Table 3: Gender, neuter status and age summary statistics for dogs where gender and neuter status was reported

Sex	Neuter status	Age known	Count	Mean age neutered (years)	Median age neutered (years)	Min age neutered (years)	Max age neutered (years)
Female	Neutered	Yes	1	1	1	1	1
Male	Not neutered	No	1	NA	NA	NA	NA

Table 4: The body condition comment and the age of the dog when this comment was made

Body condition	Count	Mean age (years)	Median age (years)	Min age (years)	Max age (years)
Normal	2	7.50	7.5	6	9

Table 5: The most commonly reported disease conditions in descending order for the breed (N = 2 live dogs)

Condition
Immune mediated polyarthrititis (IMPA)
Skin (cutaneous) cyst

Summary

From the dogs surveyed, all Turkish Kangal Dogs were affected by a disease condition (100 %). There were two disease conditions that represented an equal proportion of affected live dogs; these conditions were immune mediated polyarthrititis (IMPA) and skin (cutaneous) cyst. There were no responses for deceased Turkish Kangal Dogs.